





QINGDAO BLOSSOM FURNISHINGS LIMITED Wood Dance Floor 1-2

LED Stage 3-4

LED Starlit Dance Floor 5-6

LED 3D Dance Floor 7-8

LED Pixel Dance Floor 9-10

LED Magnet Dance Floor 11-12

LED Interaction Dance Floor 13-14

LED 3D Tube 15-16



The dance floor is made from plywood + wood grain(1mm) to produces the classic checker board' effect. And the high gloss finish means that any lighting is reflected by the dance floor surface, creating a stunning look. when you want to create a wonderful party with lower budget, this is an ideal choice.





Shiny dance floor

Dull dance floor

| Item | Size | Weight | Load-bearing |
|-------|--------------------|--------|--------------|
| 3x3ft | 915mmx915mmx30mm | 15.0KG | 600KG |
| 4x4ft | 1220mmx1220mmx30mm | 18.5KG | 800KG |
| 1x1m | 1000mmx1000mmx30mm | 16.0KG | 650KG |

The without hole one, it is very thin, the thickness is only 21 mm.

Aluminum Edges







Bevel edge

Packing

We use the carton packaging it. If you want to transport it easily, The trolley and fight case is a good choice. The trolley can transport more than 25pcs dance floor with aluminum edges. The flight case can transport 8-10pcs dance floor and edges, And we also can print your logo on fight case.



Carton



Trolley




Flight case


We have two types of designs, one is without the hole in the surface.


It mostly used indoor or outdoor on flat ground. Another is a lock system with screw in the surface. This one can be used indoors and outdoors.


At the same time, We provide different colors for your choice to satisfy all kinds of scenes.













Project












| | Technical Parameter |
|---------------------------|--|
| Size | 60x60cm (2x2ft) |
| Loading Capacity | 300kg |
| Connect Way | Inside connector |
| Material | Aluminum Frame & Acrylic |
| Lighting & Control System | RGB light. SD control / DMX control / Madrix Control |
| Lighting | LED Tube |
| Color | White |
| Packing Way | Cartons / Flight Case |
| Weight: | 10kg |


LED Stage

LED Stage

LED Stage






















LED Acrylic Stage
LED Acrylic Stage
LED Acrylic Stage







ACS Regular Floor Size Info:

| ACS Model No. | Floor Size | 2x2ft panel | 2x4ft panel | Powered Edge | 4ft Edge | 2ft Edge | R/L Corner |
|---------------|------------|-------------|-------------|--------------|----------|----------|------------|
| ACSWDFB88 | 8x8 Feet | 4 | 6 | 1 | 5 | 4 | 4 |
| ACSWDFB1010 | 10x10 Feet | 5 | 10 | 1 | 8 | 2 | 4 |
| ACSWDFB1212 | 12x12 Feet | 6 | 15 | 1 | 9 | 4 | 4 |
| ACSWDFB1414 | 14x14 Feet | 7 | 21 | 1 | 12 | 2 | 4 |
| ACSWDFB1616 | 16x16 Feet | 8 | 28 | 1 | 13 | 4 | 4 |
| ACSWDFB1818 | 18x18 Feet | 9 | 36 | 1 | 16 | 2 | 4 |
| ACSWDFB2020 | 20x20 Feet | 10 | 45 | 1 | 17 | 4 | 4 |
| ACSWDFB2222 | 22x22 Feet | 11 | 55 | 1 | 20 | 2 | 4 |
| ACSWDFB2424 | 24x24 Feet | 12 | 66 | 1 | 21 | 4 | 4 |

(Tips: accept customization size)


Component Dimension & Weight Info:


| Aluminum Panel | Dimension(mm) | Dimension(inch) | Weight(kg) | Weight(lbs) |
|----------------|---------------|-----------------|------------|-------------|
| Full Panel | 120x60x3 | 48x24x1.2 | 14.0 | 30.86 |
| Half Panel | 60x60x3 | 24x24x1.2 | 7.0 | 15.43 |
| Full Edge | 121.6x12.5x3 | 48x5x1.2 | 1.3 | 2.86 |
| Half Edge | 60.8x12.5x3 | 24x5x1.2 | 0.7 | 1.54 |
| R/L Corners | 37.8x12.5x3 | 14.9x5x1.2 | 0.5 | 1.10 |

| 12ftx12ft-Suitable for 35-45 dancers | 14ftx14ft-Suitable for 45-55 dancers |
|--|--|
| 16ftx16ft-Suitable for 60-70 dancers | 18ftx18ft-Suitable for 75-90 dancers |
| 20ftx20ft-Suitable for 95-110 dancers | 22ftx22ft-Suitable for 115-135 dancers |
| 24ftx24ft-Suitable for 140-160 dancers | 26ftx26ft-Suitable for 165-190 dancers |
| 28ftx28ft-Suitable for 195-220 dancers | 30ftx30ft-Suitable for 225-250 dancers |


























www.blossomfurnishings.com



| ACS / | Mirror LED Dance Floor,LED 3D Dance Floor |
|-------------------|---|
| Selling Points | 1: Hottest products and very popular in Europe and Americas |
| | 2: 3D space tunnel effect, immersive abyss |
| | 3: Light weight and easy to set up |
| | 4: Wear-resisting and waterproof |
| | 5: Multi-funtion with different color |
| | 6: The wide range of applications, in addition to applications in the traditional entertainment, but also for restaurants, bars, cates and other civilian sites |
| | 7: Flight case to transport |
| Size | 500mm x 500mm x 66mm/pcs |
| Loading Capacity | 500KG/pcs |
| Weight | 10KG |
| Housing Color | Black |
| Surface Cover | Tempered Glass |
| LED Color | RGB |
| LED quantity | 60/84PCS |
| Control Method | SD controller with remote control, DMX or Madrix |
| Working Life time | 50000hours |
| IP Rating | Ip65 |
| Certificate | CE |
| Packing Quantity | One flight case can hold 6-10pcs |
| | |




Waterproof Test



Detailed Installation Instruction



Scratch Resistant Test











www.blossomfurnishings.com









Detailed Installation Instruction






Waterproof Test





Scratch Resistant Test







LED

Magnet Dance


Floor








www.blossomfurnishings.com



| TECHNICAL PARAMETER | | | |
|------------------------|--|--|--|
| Dimension(mm) | L600*W600*H43mm/70mm | | |
| LED quantity(pcs/unit) | 64pcs/36pcs lamps | | |
| Light source | 5050 SMD 3in 1 | | |
| Control mode | SD controller with remote control. DMX or Madrix | | |
| Max power | 15/20W | | |
| Input voltage | DC24V | | |
| Net Weight | 14KG | | |
| Resolution (L*W) | 6*6 or 8*8 pixel | | |
| Surface material | Tempered glass | | |
| Base housing material | ABS | | |
| Bearing weight | 500KG/m2 | | |
| Protection level | Ip55 | | |
| Lifespan | ≥50,000 hours | | |
| Insulation grade | CLASSE II | | |

























| TECHNICAL PARAMETER | | | |
|-----------------------|--|--|--|
| Input voltage | AC90-240V,50-60Hz | | |
| Maximum power | 12W | | |
| Light source | 5050RGB 3 in 1 | | |
| Service life | ≥50000h | | |
| Control mode | SD controller with remote control, DMX or Madrix | | |
| Product specification | L500xW500xH66mm | | |
| Net weight | 8.8KG | | |
| Panel material | Crystal toughened glass | | |
| Base material | high strength ABS | | |
| Bearing weight | 500KG/m2 | | |
| Working temperature | -20℃/60℃ | | |
| Protection grade | IP55/IP65 | | |

| TECHNICAL PARAMETER | | | | |
|-----------------------|--|--|--|--|
| Input voltage | AC100-260V, 50-60Hz | | | |
| Maximum power | 12W | | | |
| Light source | 5050RGB 3 in1 | | | |
| Service life | ≥50000h | | | |
| Control mode | SD controller with remote control, DMX or Madrix | | | |
| Product specification | L500xW500xH66mm | | | |
| Net weight | 10KG | | | |
| Panel material | Tempered glass | | | |
| Base material | high strength ABS | | | |
| Bearing weight | 500KG/m2 | | | |
| Working temperature | -20℃/60℃ | | | |
| Protection grade | IP55/IP65 | | | |






































| TECHNICAL PARAMETER | | | | |
|---------------------|---|--|--|--|
| Voltage | AC110/240V | | | |
| Consumption | 80W | | | |
| LED Qty | 432pcs/720pcs High Brightness 8mm Lamps | | | |
| Controll | DMX 512 | | | |
| Channel | 432PCS=27CH 720PCS=31CH | | | |
| Weight | 36kg | | | |
| Size | 100cm X 100cm x 13cm | | | |
| Working mode | Static/ flashing changes color side style /voice mode | | | |





DMX dance floor 432pcs lamps


DMX dance floor 720pcs lamps






DMX dance floor 432pcs lamps

DMX dance floor 720pcs lamps









LED 3D Tube
LED 3D Tube





| TECHNICAL PARAMETER | | | | | | | |
|---------------------|--|--------------------------------|----|-----|--|--|--|
| Size | L500*D30mm L1000*D30mm L1500*D30mm L2000*D30m | | | | | | |
| LED Quantity | 32 | 64 | 96 | 128 | | | |
| Pixels | 8 | 16 | 24 | 32 | | | |
| Max Power | 8W/PCS | 8W/PCS 16W/PCS 24W/PCS 32W/PCS | | | | | |
| View Angle | 360° | | | | | | |
| Input Voltage | DC 15V | | | | | | |
| Light Source | 5050 SMD 3in1 | | | | | | |
| Display Color | Full color RGB | | | | | | |
| Material | Polycarbonate | | | | | | |
| Protocol | DMX512 | | | | | | |
| Address Mode | Manual | | | | | | |
| Protection Level | IP40-IP65 | | | | | | |
| Control Mode | SD Card Control System/DMX512 Controller/Artnet Contoller/DVI Control System | | | | | | |



Bob Tan WhatsApp 联系人



Betty Guo WhatsApp 联系人



ROOM 2111, Building B, No. 2 Heilongjiang Raod, Shibei Area, Qingdao, China

QINGDAO BLOSSOM FURNISHINGS LIMITE

Website: www.blossomfurnishings.com

Office call: 0086-532-68995656

Contact:

Mr.Bob (Owner) Email: info@blossomfurnishings.com

Mobile / Whats App: 0086-18660219604

Ms.Betty (GM) Email: betty@blossomfurnishings.com

Mobile / Whats APP: 0086-13605329642